BEKA RUBBER

Flooring that meets your needs

Gym Flooring Catalog 2025

RUBBER TILES
RUBBER ROLLS
RAMPS & ADHESIVE
ARTIFICIAL TURF FOR GYM
TATAMI
OUTDOOR TILES

BEKA SPOR ZEMINLERI SAN. VE DIS TIC. LTD. STI.

HEADQUARTERS

ORTA MH. TEVFIK ILERI CD.
ORDEKCIOGLU BLOK NO:32 D:1 34896
PENDIK / ISTANBUL - TURKEY

Email: info@bekasport.com
Web: www.bekasport.com
Phone: +90 850 480 2352

FACTORY

SARAY MAH., 222 CD.
NO: 16/A, 06980 KAHRAMANKAZAN /
ANKARA - TURKEY

Email: info@bekasport.com
Web: www.bekarubber.com
Phone: +90 850 480 2352

Beka
Rubber

Welcome to BEKA SPORT



From our beginning as artificial turf manufacturer, Beka Sport has grown into what it is today: A reference in sport flooring in more than 70 countries.

Perseverance, accountability, consistency.

Beka Group believes in strong long term partnerships, developed through the years. Our commitment with quality and punctuality comes always first.

After installing more than 50 FIFA certified football fields and due to our knowledge in sport flooring, Beka Group looks at the future divided in branches according to their expertise.

Beka Rubber focuses on rubber production, both tiles and rolls, for fitness halls, crossfit box, sound insulation applications, playground flooring and wet pouring epdm for different areas.

Forget what you knew about rubber flooring.

Join us on our new experience. Be one of our many satisfied customers.

Vedat Konar NAŞ

Table of Contents

Welcome ____ 02

Certificates ____ 04

About us ____ 06

BeFit Pro Black ____ 08

BeFit Zero Black ____ 09

Becross Pro 3rd generation ____ 10

BeFit Pro Flex ____ 10

BeFit Pro Flecks ____ 11

BeFitt Pro Flecks Black ____ 11

BePlatform ____ 12

BeRamp ____ 12

BeGreen ____ 13

Sprint Tracks ____ 14

Tatami ____ 15

Adhesive ____ 15

BeRoll Dynamic ____ 16

BeRoll Smyrna ____ 16

BeRoll INSUL-X ____ 17

Outdoor Flooring ____ 18

Rubber Guide ____ 20

References ____ 22

BEKA SPOR ZEMINLERI SAN. VE DIS TIC. LTD. STI.

M: INFO@BEKASPORT.COM
W: WWW.BEKARUBBER.COM
WWW.BEKASPORT.COM

WE CARE ABOUT SAFETY...



FACTORY PRODUCTION APPROVAL
CERTIFICATE (FPAC)
FABRİKA ÜRETİM UYGUNLUK SERTİFİKASI

Üretici Firma / Manufacturer
BEKA SPOR ZEMİNLERİ SANAYİ VE DIŞ TİCARET LİMİTED ŞİRKETİ
Adres / Adress
KOŞAKLI ÇEŞME MH. İSTANBUL CD. NO:71 GEBZE / KOCAELİ / TÜRKİYE
Tel / Phone
+90 850 480 20 50
E-mail / Web
info@bekasport.com / www.bekasport.com / www.bekarubber.com

FPAC

It confirms that the requirements of the Factory Production Approval Certificate are fulfilled and applied in accordance with the provisions of the directive and standards.
Direktif ve standartlar hükümlerine uygun olarak Fabrika Üretim Uygunluk Sertifikasının gerekliliklerin yerine getirildiği ve uygulandığını onaylar.

Ürün İsmi / Product Name
BEKA RUBBER TILES, BEKA RUBBER ROLL

Ürün Tipleri / Product Types
Kare Kauçuk - Kare Kauçuk
40x40 Kare Kauçuk Grubu / 40x40 Rubber Tiles Series
50x50 Kare Kauçuk Grubu / 50x50 Rubber Tiles Series
50x100 Kare Kauçuk Grubu / 50x100 Rubber Tiles Series
100x100 Kare Kauçuk Grubu / 100x100 Rubber Tiles Series
Rulo Kauçuk
SBR Rulo Kauçuk Grubu / SBR Rubber Roll Series
SBR + EPDM Rulo Kauçuk Grubu / SBR + EPDM Rubber Roll Series
Full EPDM Rulo Kauçuk Grubu / Full EPDM Rubber Roll Series
Ürün Ticari Markası / Product Commercial Brand
BEKA SPORT & BEKA RUBBER

Uygulanabilir EC Direktifleri / Applicable EC Directives
305/2011/AB Yapı Malzemeleri Direktifi-Sistem 3 / 305/2011/EU The Construction Products Directive-System 3

Harmonized Standards
EN ISO 5470-1:2001, EN ISO 11925-2:2011, AN ISO 1307/B-3:2011, EN ISO 10140-1:2016 (Annex G), EN ISO 10140-3:2011/A1:2015, EN ISO 10140-1:2016 (Annex H), UNE-EN 13501-1/2007+A1:2010, (EC) No. 1907/2006 (REACH), DIN ISO 16000-9 mod 2012-1

Testler / Tests
LABOSPORT 19-09837/T-B , LABOSPORT 19-09897/T-B, LABOSPORT 19-09898/T-B, LABOSPORT 19-09897/T-B, LABOSPORT 19-09897/T-B, APPPLUS 19/19154-SKB, APPPLUS 19/19154-GIS, APPPLUS 19/19154-GIS, APPPLUS 19/19154-458 Part 1, APPPLUS 19/19154-458 Part 2, INTERTEK TURT200121134, INTERTEK TURT200129090

Sertifika No/ Certificate No: 2021-13279
Sertifika Tarihi /Certificate Date: 01.04.2021
Sertifika Bitiş Tarihi /Certificate Expiration Date: 01.04.2022

Accredited System Certification Approval

IFC Global Certification, Inspection & Training Services GmbH
Hohenzollernring 52 / 50672 Köln / Germany
www.ifcglobal.de

CERTIFICATE / ZERTIFIKAT / СВИДЕТЕЛСТВО / CERTIFIKNKAT / CERTIFICATO / CERTIFIKA



Our rubber flooring has CE certification, in order to comply with European regulations about safety, health and environmental protection requirements.



BEKA RUBBER products have been tested also for compliance with the concentration limits for PAHs (polycyclic aromatic hydrocarbons). User's health is our main concern.



intertek

TEST REPORT

Page 1 of 16

REPORT NUMBER:	TURT200121134
APPLICANT NAME	BEKA SPOR ZEMİNLERİ SANAYİ VE DIŞ TİCARET LİMİTED ŞİRKETİ
ADDRESS	–
	Attention: Vedat Konar Nas (vkonar@bekasport.com)
SAMPLE DESCRIPTION	One sample of Black rubber
DATE IN :	18 September, 2020 (08:31)
DATE OUT :	01 October, 2020
REQUEST :	SVHC Screening Test regarding REACH Regulation (EC) No. 1907/2006 for updated SVHC List of 25 June, 2020

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule.

Kübra AKGÜN
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Saraçyl Cad. No:23 Altındağ Plaza Yenibosna 34197 - İSTANBUL / TURKEY
Phone : +90.212. 486 46 46 Fax : +90.212. 452 80 55
e-mail :intertekcg.turkiye@intertek.com
www.intertek-turkey.com



intertek

TEST REPORT

Page 1 of 6

REPORT NUMBER :	TURT200129090
APPLICANT NAME	Beka Spor Zeminleri San. ve Dış Tic. Ltd.Şti.
ADDRESS	Koşaklı Çeşme MahallesiIstanbul Cd. No. 71 Gebze/Kocaeli Tel:90 850-480 2050 Attention : Vedat Konar (vkonar@bekasport.com)
SAMPLE DESCRIPTION :	One sample of RUBBER TILE
DATE IN :	05 October, 2020 (10:29)
RESUBMIT DATE:	07 October, 2020
DATE OUT :	01 December, 2020

TEST	Sample
@VOC TEST	NR

F = MEET'S BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=ST-L CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE/ LS : LACK OF SAMPLE

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule.

Kübra Akgün
Customer Care Executive

Zeynep Akın
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Saraçyl Cad. No: 23 Altındağ Plaza Yenibosna 34197 - İSTANBUL / TURKEY
Phone : +90.212. 486 46 46 Fax : +90.212. 452 80 55
e-mail : intertekcg.turkiye@intertek.com
www.intertek-turkey.com



Our rubber flooring has also been tested for VOC (Volatile Organic Compounds) emissions by one of the most renowned International laboratories.

..BUT ALSO FOR PERFORMANCE

ABRASION RESISTANCE



We take quality very seriously. As a result of our compromise with high standards, our tiles have been certified by an international test center to comply with EN ISO 5470-1.


LABOSPORT

TEST REPORT

19-0096IT


BEKA SPORT

BEKA RUBBER

RUBBER TILES

Test according to:

EN ISO 5470-1:2001 Rubber or plastic coated fabrics. Determination of abrasion resistance. Taber abrader


Applus laboratories

CLASSIFICATION REPORT

FLAMEPROOF



Guess what...
BEKA RUBBER gym flooring complies also with the requirements of EN 13501.

IMPACT & AIRBORNE SOUND INSULATION



Not enough? Our products provide airborne insulation in accordance with EN ISO 10140-2: 2011 and EN ISO 10140-1: 2016 (Annex G) standards.
We have also certified impact sound insulation in accordance with EN ISO 10140-3: 2011, EN ISO 10140-3: 2011 / A1: 2015 and EN ISO 10140-1: 2016 (Annex H)


Applus laboratories

TEST REPORT

About us





CERTIFIED PRODUCTS

New Factory.
New Production Method.

A fully automated production system, designed and developed by BEKA engineer team, delivers outstanding results.

Our COLD MOLD system is able to produce a never seen before recycled rubber tile in terms of dimensions stability and users safety.

Your best choice

Standard Quality

Raw materials are carefully inspected, cleaned, controlled and proccessed by Beka Sport's state of the art custom developed machinery in order to achieve higher quality standards.

Daily Shipments

From our conveniently located facilities there is easy acces for road and sea transportation. Beka Sport's Logistic & Operation departments are ready to fullfill any request and organize exportation in less than 48 hours.

Modern Machinery

Constant production, both for artificial turf and for rubber products, needs absolute dedication. We thoroughly maintain, improve and renew our machinery park.

Exporting to 55 Countries

Beka Sport actively exports to 55 countries. We are ready to help our customers in 6 different languages.
Be one of our satisfied distributors and importers.



Modern facility

Beka Sport in numbers:
- 10.000 m² production closed area.
- 5.000.000 m² flooring total production capacity.
- More than 1000 projects completed.

Search your Product

Through a different website for each company under Beka Group, you can quickly access online the information about the products you are looking for.

Certifications

It is not easy to guarantee a product. High quality must be demonstrated. Find out about our certificates issued by international certification laboratories from our customer service.

Supervisor Support

You can count on our support through installation teams and their superb knowledge.

Meet Cold

You may not see the difference, but you will feel it.

BeFit Pro



Zero Tolerance

Description: Our new BeFit Pro tiles, manufactured through our Cold process, set new standards for 100x100 indoor rubber tiles. Outstanding results combined with an affordable price for those seeking performance on a budget.

Thanks to our Cold process, installing rubber tiles was never easier.

Why cold? Minimum tolerance, better abrasion resistance along with an overall better performance.

Details:

Use :	Indoor
Size :	100x100 cm
Thickness :	15 | 20 | 25 | 30 | 40 mm
Color Options :	
Type :	Flat



Mold

Look for our registered designs!



BeFit Zero

Description: A new production method delivers outstanding results and sets new standards for indoor rubber tiles.


Ideal for Fitness Centers, personal training centers, Functional Training Centers, etc. **BeFit Zero** tiles aim to surpass the usual commitment gym owners have to make when choosing rubber flooring.

Meet the tiles representing the best "*value for money*" in Europe.




Details:

Use :	Indoor
Size :	50x100 cm
Thickness :	15 | 20 mm
Type :	Flat
Color :	



BeCross Pro 3rd GENERATION



Top-notch Surface

Description: Ideal for Fitness Centers, personal training centers, Boutique hotel gyms, Functional Training Centers, etc.

Becross Pro 3rd Generation tiles offer an UNBREAKABLE surface and the easiest cleaning surface.

SBR, EPDM andd TPE at its best.

Details:

Use :	Indoor
Size :	100x100 cm
Thickness :	20 mm
Color :	
Type :	Flat

BeFit Pro Flex




Increased impact absorption

Description: Our cold mold revolutionary production method delivers outstanding results on grooved bottom tiles. Increased flexibility and shock absorption with minimum tolerances for dimensions.

Details

Use :	Indoor
Size :	100x100 cm
Thickness :	25 | 30 mm
Color:	
Type :	Grooved bottom

BeFit Pro Flecks



Stylish Flooring

Description: Our best selling product is a powerful combination of 17 mm rubber tile and 3 mm rubber roll with 20% EPDM flecks.

Customizing your flooring has never been easier. Your flooring will seem always clean and more stylish.

Details


Use :	Indoor
Size :	100x100 cm
Thickness :	17 mm + 3 mm
Color Options :	

BeCross Pro 18+2

NEW SURFACE

Description: An addition to our best selling series: 18 mm rubber tile and 2 mm rubber roll with EPDM flecks black color.

Nicer surface easier to clean.



Details

Use :	Indoor
Size :	100x100 cm
Thickness :	18 mm + 2 mm
Color :	

BePlatform




Platform friendly

Description: A rubber tile which provides the utmost protection for your flooring and your equipment, plus a higher sound insulation.

Details

Use :	Indoor
Size :	50x50 cm
Thickness :	40 | 50 mm
Color:	
Type :	Flat



BeRamp

Stylish ramp

Description: Make your space delimited and more accessible with our ramps.

Details

Use :	Indoor
Size :	23x100cm
Thickness :	20 mm
Color:	

BeGreen



BeGreen Active

Come to the green side!

Description: Do you have a place you want to transform?


Our BEGREEN tiles are a really DIY product. They will solve the case in no time. Forget complicated and expensive installations.

Finally, the solution is in your hands

Details

Use :	Indoor
Size :	100x100 cm
Thickness :	15 + 35 mm





Sprint Tracks

Artificial turf with Numbers

Description:
New age artificial turf for those looking for a high performance artificial turf for a commercial gym.

Funcional training at its best with our new solution for your high performance areas.

Nylon yarn instead of PE for those seeking the perfect place for sleds.


Dsicover the customization possibilities and create your own design.

Details

Use:	Indoor
Dimensions:	200x1000cm
Height:	10 mm
Color Options:	



EVA Tatami mats




EVA Tatami Mats

Description: Tatami mats in different color combinations. A proper nicked surface for martial arts and MMA. Easy and fast installation with its interlocking system.


Details

Use :	Indoor
Size :	100x100 cm
Thickness :	10 / 13 / 20 / 26 / 40 mm
Color Options:	

*** Other color combinations on demand**







Adhesive

Description:
2 Component polyurethane based adhesive for better adhesion properties on surfaces such as concrete, mdf, fibreboard or asphalt. Higher resistance to sunlight, water and external factors.

Details

Use :	Indoor & Outdoor
Packages :	12,5kg set / 24kg set
Type :	Set



BeRoll Dynamic



SBR Rubber Roll

Description: Beroll Dynamic is the solution for those looking for a good product on a tight budget. Reliable and cost effective, Dynamic is one of our best selling products.
Use it for underlay, subbase for acrylic, linoleum or PU projects, sound insulation or GYM flooring.

Details

Use :	Indoor
Size :	120x1000cm
Thickness :	**3** | 4 | 5 | 6 | 7 | 8 | 9 |10 mm
Color:	







BeRoll Smyrna



SBR + EPDM Flecks

Description: Get a superb combination. SBR + new EPDM flecks. Choose your color and make your floor different.


Details

Use :	Indoor
Size :	120x1000cm
Thickness :	3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 mm
EPDM Flecks :	5% | 10% | 20% | 35%
Choose Color*:	

Other color options available upon request.

BeRoll Insul-X


SBR + EPDM Rubber Roll



Description: Insul-X rubber roll is the most versatile solution for many applications. Cost effective and with a 850kg/m3 density, Insul-X has become one of our best selling products.
Use it as underlay, subbase for acrylic, linoleum or PU sport systems, sound insulation, vibration absorption in construction and many more.

Details

Use :	Indoor/Outdoor
Size :	1,20m x 10/15/20m
Thickness :	**3** | 4 | 5 | 6 | 7 | 8 | 9 |10 mm
Color:	**Black + multicolor**



BeHobby

Description:

BeHobby Rubber Tile is one of our most **versatile** products.

It is suitable for many places: terraces, balconies, backyards, garage paths, walking paths for your garden, etc.

Details

Use :	Outdoor
Size :	50x50 cm
Thickness :	20 | 25 | 30 | 40 | 50 mm
Type :	Flat
Color Options :	





BeHobby MAX

Description:

Discover our latest addition to BEHOBBY series.

Its dimensions make it suitable for bigger spaces, from playgrounds and multisport zones to Crossift and Fitness Outdoor areas.

Details

Use :	Outdoor
Size :	100x100 cm
Thickness :	20 | 30 mm
Type :	Flat
Color Options :	

BeHobby EPDM


Description:

100% new EPDM surface + SBR. A long withstanding tile for places where aesthetic result is important.

Higher durability, better UV behavior, softer surface and wider color range to suit your needs.

Details

Use :	Outdoor
Size :	50x50 cm
Thickness :	25+5 | 35+5 | 45+5 mm
Type :	Flat
Color Options :	





BeFlex


Description:

Designed and manufactured to provide the right protection against injuries from a possible fall. Ideal as **playground flooring**, **kindergarten outdoor areas** and climbing wall flooring.


These tiles protect children against injuries from a fall from 89cm to 140cm high.

Details

Use :	Outdoor
Size :	50x50 cm
Thickness :	25 | 30 | 40 | 50 mm
Type :	Grooved
Color Options :	







BeFlex EPDM

Description:

100% new EPDM surface + SBR. A long withstanding tile for places where aesthetic result is important.

Higher durability, better UV behavior, softer surface and wider color range to suit your needs.

Details

Use :	Outdoor
Size :	50x50 cm
Thickness :	25+5 | 35+5 | 45+5 mm
Type :	
Color Options :	

Rubber Guide

CARDIO



Cardio exercises involved mainly machinery like treadmills. Therefore, you need a basic but durable rubber flooring in order to absorb the vibration from these machines.

TILES

BeFit Pro
BeFit Zero
Befit Pro Flecks

(15mm/20mm)

ROLLS

BeRoll Dynamic
BeRoll Smyrna

(6mm - 8mm - 10mm)

Sprint Track

CROSSFIT



As a high intensity interval training, weights go easily up to 140-160kgs and kettlebells are also used. A high density and protective rubber flooring is imperative for a CrossFit Box.

TILES

BeFit Pro
BeFit Pro Flex
BeFit Zero

(25mm/30mm/40mm)

ROLLS

BeRoll Dynamic
BeRoll Smyrna

(10mm)

Sprint Track

FREE WEIGHT



Free weight exercises in general go along with cardio exercises. Weights up to 50 kgs are frequent, so a reliable rubber flooring is necessary to save your equipment and protect your base floor.

TILES

BeFit Pro
BeFit Pro Flecks
BeFit Zero

(20mm)

ROLLS

BeRoll Dynamic
BeRoll Smyrna

(6mm - 8mm - 10mm)

KETTLEBELL



Kettlebells can boost your strength. Normally, these weights go from 8kg to 40kg. This means you need a rubber floor able to ensure your kettlebells and your base are safe.

TILES

BeFit Pro
BeFit Pro Flecks
BeFit Zero

(20mm)

ROLLS

BeRoll Dynamic
BeRoll Smyrna

(8mm - 10mm)

MARTIAL ARTS



Martial arts combine defense and attack techniques and they are widely used in the army: Judo, Karate, Taekwondo and Jiujitsu are the most popular martial arts. For these, you need a soft floor able to provide protection and reduce possible injuries.

TATAMI MATS

(20mm / 26mm / 40mm)

TRX



With TRX training you don't need weights, since you use your own body weight. Therefore, you need a soft and anti-slip floor to protect you from injuries. You can choose gym flooring rolls with EPDM flecks.

ROLLS

BeRoll Dynamic
BeRoll Smyrna

(6mm / 8mm / 10mm)

WEIGHT LIFTING



Dead lifts, squat and olympic weightlifting are not just exercises but a challenge to yourself. You have to decide the maximum weight you are going to use so you can decide the right thickness for you. A high-density rubber flooring is imperative.

TILES

BeFit Pro
BePlatform

(25mm - 30mm - 40mm - 50mm)

BEKA RUBBER
Flooring that meets your needs

OUR REFERENCES



















10
9
8
7
6
5
4
3
2
1


SAM'S FIT GYM

BEKA RUBBER

www.bekarubber.com

THE SIGN OF QUALITY

BEKA SPOR ZEMINLERİ SAN. VE DIŞ TİC. LTD. ŞTİ.

HEADQUARTERS

ORTA MH. TEVFİK İLERİ CD.
ÖRDEKÇİOĞLU BLOK NO:32 D:1 34896
PENDİK / İSTANBUL - TURKEY

Email: info@bekasport.com
Web: www.bekasport.com
Phone: +90 850 480 2352

FACTORY

SARAY MAH., 222 CD.
NO: 16/A, 06980 KAHRAMANKAZAN /
ANKARA - TURKEY

Email: info@bekasport.com
Web: www.bekarubber.com
Phone: +90 850 480 2352